



ENGLISH VERSION BELOW

Brandschutz

Während der Polymesse gelten strikte Sicherheits- und Brandschutzvorschriften von der Feuerpolizei sowie der ETH, welche wir als Veranstalter und Sie als Teilnehmer erfüllen müssen. Es gelten folgende Richtlinien:

Ausstellungseinrichtungen (exkl. Exponate) müssen mindestens Brandkennziffer BKZ 6q3 aufweisen oder in der Brandverhaltensgruppe RF1 sein. Tischtücher, Plakate und weiteres Material, welches von Aussteller zu Dekorationszwecken verwendet wird, müssen entweder mindestens Brandkennziffer BKZ 5.2 aufweisen oder der Brandverhaltensgruppe RF2 angehören.

Die Verhaltensgruppen unterteilen sich wie folgt:

- RF1 = kein Brandbeitrag (z.B. Glas, Beton, Gips)
- RF2 = geringer Brandbeitrag (z.B. Eichenholz, brandschutzbehandelte Stoffe)
- RF3 = zulässiger Brandbeitrag (z.B. die meisten anderen Holzarten)
- RF4 = unzulässiger Brandbeitrag (z.B. Holzspäne, Karton)

Für das von Ihnen mitgebrachte Mobiliar, Einrichtungsgegenstände und Dekorationsmaterial (z.B. Roll-Ups) müssen Brandschutzzertifikate vorhanden sein. Diese Zertifikate werden vorgängig von uns und von einem Brandschutzverantwortlichen der ETH geprüft und freigegeben.

Am Messetag wird der Stand sowie die Dekorationen vor Ort nochmals kontrolliert, wo Sie alle Zertifikate vorweisen können müssen (elektronisch genügt). Beachten Sie, dass wir Standkomponenten, welche die Brandschutzauflagen nicht erfüllen, an der Messe nicht erlauben dürfen. Ebenso dürfen keine defekten Elektrogeräte verwendet werden. Das bedeutet z.B. keine defekten Netzteile oder beschädigte Lade-/Elektrokabel, da diese leicht einen Brandherd darstellen können.



Fire Safety

Strict safety and fire protection regulations from the fire police and ETH apply here, which we as organizers and you as participants must comply with. The following guidelines apply:

Exhibition furnishings (excl. displayed products) must have at least fire classification (Brandkennziffer) BKZ 6q3 or be in fire behavior group (Brandverhaltensgruppe) RF1. Tablecloths, posters and other materials used by exhibitors for decorative purposes must either have a minimum fire classification BKZ 5.2 or belong to fire behavior group RF2.

The behavior groups are subdivided as follows:

- RF1 = no fire contribution (e.g. glass, concrete, plaster)
- RF2 = low fire contribution (e.g. oak wood, fire-protection-treated materials)
- RF3 = permissible fire contribution (e.g. most other types of wood)
- RF4 = inadmissible fire contribution (e.g. wood chips, cardboard)

Fire protection certificates must be available for the furniture and decoration material (e.g. roll-up banners) that you are bringing with you. These certificates will be checked and approved in advance by us and by a fire safety officer from ETH.

On the day(s) of the fair, the booth will be checked again on site, where you must be able to present all certificates (electronically is sufficient). Please note that booth components that do not meet the fire protection requirements will not be permitted at the exhibition. Likewise, no defective electrical appliances may be used. This means, for example, no defective power supply units or damaged charging/electrical cables, as these can easily be a source of fire.